

Rittal – The System.

Faster – better – everywhere.

► Rail for EMC shielding bracket and strain relief – SZ 2388.125

Date : Jan 18, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Rail for EMC shielding bracket and strain relief – SZ 2388.125

created: 18.01.2019 build on www.rittal.com/uk-en



Product description

Description:	Combined rail for strain relief and EMC contacting of inserted cables.
Benefits:	Additional contacting on the left or right of the rail via existing holes (9 mm diameter) Prepared for tool-free mounting of EMC shielding brackets
Material:	Extruded aluminium section
Surface finish:	Chromium-free passivated
Supply includes:	1 rail 2 retaining brackets Assembly parts

Product features

To fit:	Width: = 1200 mm
Dimensions:	Length: 1153 mm
Installation options:	on the horizontal/vertical enclosure section may also be fitted without a retaining bracket on a mounting plate
Weight/pack:	1.02 kg
ETIM 5.0:	EC002623
eCl@ss 8.0/8.1:	27189234

eCl@ss 6.0/6.1: 27189214

Product description: SZ Rail, for EMC rail and stain relief, for W: 1200 mm

Approvals

Certificates: EAC
